



# POLYMER CASINGS

**PRODUCT RANGE**  
**EU**

VALID FROM MARCH 2022

[kallegroup.com](http://kallegroup.com)

**Kalle**  
KALLE GROUP

# CONTENTS

## BARRIER CASINGS

Tubular Casings (Monolayer/Multilayer) .....	3
Shape/Mold Applications.....	4
Ring Casings.....	4

## PERMEABLE CASINGS

Tubular Casings .....	5
Ring Casings.....	5

### General Note

This brochure is only meant for general information and promotional reasons and has no legal value. The description of the product range is only indicative and subject to further changes. In particular, the product features and technical data provided herein do not express or imply any warranty or legal representation. Any specification required by our customer needs to be explicitly addressed in the order and agreed in the sales contract.

## POLYMER CASINGS - PRODUCT RANGE

# BARRIER CASINGS

### TUBULAR CASINGS MONOLAYER



Product Type	Caliber Range	Diameter Consistency (tubular)	Tear Strength	Meat Cling	Surface / Haptics	Shrinkable
<b>NaloFlex AL</b>	22-150	High	Moderate	Meat Cling	Shiny/Smooth Surface	Yes
<b>NaloFlex AP</b>	22-125	High	Moderate	Meat Cling	Shiny/Smooth Surface	Yes
<b>NaloFlex PR</b>	30-150	High	Medium	Meat Cling	Shiny/Smooth Surface	Yes
<b>Barin / NaloSlice</b>	55-200	High	High	Meat Cling	Shiny/Smooth Surface	No
<b>Rodamid</b>	25-200	Moderate	High	Meat Cling	Shiny/Smooth Surface	No

### TUBULAR CASINGS MULTILAYER



Product Type	Caliber Range	Diameter Consistency (tubular)	Tear Strength	Meat Cling	Surface / Haptics	Shrinkable
<b>NaloBar ALM</b>	21-161	High	Moderate	Meat Cling	Matt or Shiny/Smooth Surface	Yes
<b>NaloBar APM</b>	21-99	Medium	Moderate	Meat Cling	Matt or Shiny/Smooth Surface	Yes
<b>NaloBar EM</b>	100-245	Medium	Moderate	Meat Cling	Matt or Shiny/Smooth Surface	Yes
<b>NaloBar PR</b>	20-170	High	Medium	Meat Cling	Shiny/Smooth Surface	Yes
<b>NaloBar PRC</b>	33-165	High	Medium	High Meat Cling	Shiny/Smooth Surface	Yes
<b>NaloForm SD</b>	30-53	Medium	Moderate	Meat Cling	Matt or Shiny/Smooth Surface	Yes
<b>NaloForm EL</b>	54-105	Medium	Moderate	Meat Cling	Matt or Shiny/Smooth Surface	Yes
<b>NaloSafe AL</b>	22-85	High	Moderate	Meat Cling	Shiny/Smooth Surface	Yes
<b>NaloSafe P (Petfood)</b>	26-156	High	Moderate	Meat Cling	Shiny/Smooth Surface	Yes
<b>NaloGrip</b>	26-143	High	Moderate	Meat Cling	Matt/Rough Surface	Yes
<b>Multibar LS</b>	23-225	Medium	Moderate	Meat Cling	Matt or Shiny/Smooth Surface	Yes
<b>Multibar RS</b>	54-130	Medium	Moderate	Meat Cling	Matt or Shiny/Smooth Surface	Yes
<b>Multibar E</b>	30-130	Medium	Moderate	No Meat Cling	Matt or Shiny/Smooth Surface	Yes

## SHAPE / MOLD APPLICATIONS



Product Type	Caliber Range	Tear Strength	Meat Cling	Diameter Consistency (tubular)	Surface / Haptics	Shrinkable
<b>NaloShape</b> RS	59-223	Moderate	Meat Cling	Moderate	Shiny/Smooth Surface	Yes
<b>NaloShape</b> HF	59-194	Moderate	Meat Cling	Moderate	Shiny/Smooth Surface	Yes
<b>NaloShape</b> MC	59-223	Moderate	High Meat Cling	Moderate	Shiny/Smooth Surface	Yes
<b>Multibar</b> F	60-140	Moderate	Meat Cling	Moderate	Shiny/Smooth Surface	Yes
<b>VKS/Nalon</b>	25-200	High	Meat Cling	Medium	Shiny/Smooth Surface	No

## RING CASINGS



Product Type	Caliber Range	Diameter Consistency (tubular)	Surface / Haptics	Shrinkable
<b>NaloBar</b> Kranz	30-51	High	Matt or Shiny/Smooth Surface	Yes
<b>NaloGrip</b> Kranz	34-60	High	Matt/Rough Surface	Yes
<b>Multibar</b> Kranz	30-60	Medium	Matt or Shiny/Smooth Surface	Yes

# POLYMER CASINGS - PRODUCT RANGE

## PERMEABLE CASINGS

### TUBULAR CASINGS

Product Type	Caliber Range	Permeability	Meat Cling	Surface / Haptics	Shrinkable	Tear Strength
<b>NaloGrip</b> R	36-100	Moderate	Meat Cling	Matt/Sough Surface	Yes	Moderate
<b>NaloSlim</b> ALR	22-170	Medium	Meat Cling	Shiny/Smooth Surface	Yes	Moderate
<b>NaloSlim</b> ATR	22-65	Medium	Meat Cling	Shiny/Smooth Surface	Yes	Moderate
<b>NaloFerm</b>	32-70	High	High Meat Cling	Matt or Shiny/Smooth Surface	Yes	Moderate
<b>NaloFerm</b> N	40-70	High	Meat Cling	Matt or Shiny/Smooth Surface	Yes	Moderate
<b>NaloFerm</b> EP	40-70	High	Moderate Meat Cling	Shiny/Smooth Surface	Yes	Moderate

### RING CASINGS

Product Type	Caliber Range	Permeability	Meat Cling	Surface / Haptics	Shrinkable	Tear Strength
<b>NaloGrip</b> Kranz R	40-50	Moderate	Meat Cling	Matt/Rough Surface	Yes	Moderate
<b>NaloSlim</b> Kranz	30-50	Medium	Meat Cling	Shiny/Smooth Surface	Yes	Moderate
<b>NaloFerm</b> Kranz	32-50	High	High Meat Cling	Matt or Shiny/Smooth Surface	Yes	Moderate
<b>NaloFerm</b> N Kranz	32-50	High	Meat Cling	Matt or Shiny/Smooth Surface	Yes	Moderate

